Features Highlight

- 2U rack mount industrial computer.
- 3 Expansion slots.
- 4 drive bays (1 x 5.25", 3 x 3.5" drive bays).
- ATX or Micro ATX MB.
- 14.03" deep rack mount pc.

The RMS5253 rack mount industrial computer Series is an ultra high performance design in a low cost 2U rack mount enclosure. Feature rich, the RMS5253 rack mount industrial computer is a solid, robust design that will meet the most rigorous and demanding requirements. This RMS5253 rack mount industrial computer is ideal for drive intensive, space limited applications. The depth of the chassis is only 15".

The RMS5253 rack mount industrial computer provides for one externally accessible 5.25" and one slim type 3.5" drive bays. In addition, three internal hard drive bays can easily be configured for a large RAID. The RMS5253 rack mount industrial computer is also ideal for data intensive or mission critical applications.

The RMS5253 rack mount pc's chipset integrated features include AGP or 16X PCI-Express video controller, AC'97 or Intel high-definition audio, Gigabit Ethernet LAN, parallel or serial ATA interface, as well as optional RAID controller. And if more add-on functions are required, there are three open PCI slots ready to accept expansion cards.





Broadax Systems, Inc.

1283 W State Street Ontario, CA 91762 909-395-0588 phone 909-395-0688 fax www.bsicomputer.com info@bsicomputer.com

Specifications

Chassis Features

Material of Chassis Heavy Duty Cold Rolled Electroplated Steel

Standard Color Black

Front Panel Connector 2 x USB 2.0 Ports

Indicators LEDs for Power, HDD, 3 x LAN Activity

Front Panel Controls Power On/Off & System Reset Rocker Switch

Cooling Fan 1 x 80mm, 2 x 40mm

System Board Size 12 x 9.6 Inch (ATX Form Factor Motherboard)

Drive Bays 1 x 5.25" External Drive Bay

3 x 3.5" Internal Drive Bays

Expansion Slots

Power Supply 1U PFC 110/220 VAC Power Supply

Net Weight 17.8 lbs

Dimension (W x H x D) 19 x 3.5 x 14.03 Inch

Environmental

Operation Temperature 50° to 95°F (Regular Motherboard)

32° to 140°F (Industrial Motherboard)

Non-Operating Temperature -40° to 158°F

Operating Relative Humidity 8% to 90% (non-condensing)

Non-Operating Relative Humidity 5% to 95% (non-condensing)



Detail Views

RMS5253 Rackmount Industrial Computer Front View

- 1. 1 x 5.25" External Drive Bay
- 2. 1 x Slim Floppy Drive Bay
- 3. Power On/Off Switch
- 4. Reset Button
- 5. System Status Indicator (Power & Hard Drive)
- 6. 2 x USB 2.0 Ports



RMS5253 Rackmount Industrial Computer Internal View

- 1. 2 x 3.5" Internal Drive Bays
- 2. ATX Form Factor Motherboard
- 3. 1 x 5.25" External Drive Bay 1 x Slim Floppy Drive Bay
- 4. 1U ATX PFC 110/220 VAC Power Supply






Detail Views

RMS5253 Rackmount Industrial Computer Rear View

- 1. 2 x 4cm Ball-Bearing Cooling Fans
- 2. 1U ATX PFC 110/220 VAC Power Supply
- 3. I/O Panel
- 4. 3 x Half-Size Slots (Depends on System Configuration)





Mechanical Drawing

